



---

**PRODUCT-DETAILS**

# S800-AUX

## S800-AUX Auxiliary contact



---

**General Information**

<b>Extended Product Type:</b>	S800-AUX
<b>Product ID:</b>	2CCS800900R0011
<b>EAN:</b>	7612271206802
<b>Catalog Description:</b>	S800-AUX Auxiliary contact
<b>Long Description:</b>	S800-AUX Auxiliary Contact - S800 accessory
<b>Display Name:</b>	S800-AUX

---

**Technical**

<b>Suitable For:</b>	S800P S800S S800N S800C S800B S800HV S800U S800PV-SP S800PV-SD S800PV-M-H
----------------------	--

<b>Rated Operational Current AC-15 (I<sub>e</sub>):</b>	(230 V) 0 A
---	-------------

Number of Switches: 0

---

## Electrical

Number of Contacts CO: 2

---

## Material Compliance

RoHS Declaration: 9AKK107680A3903

RoHS Information: Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

RoHS Date: 20190320

REACH Declaration: 9AKK108470A9089

REACH Information: True - contains substances > 0.1 mass percentage

REACH Date: 20250313

Conflict Minerals Reporting Template (CMRT): 9AKK108468A3363

WEEE Category: 5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B: Business To Business

---

## Environmental

Environmental Information: 2CCY413207D0203

---

## Dimensions

Product Net Width: 9 mm

Product Net Height: 95 mm

Product Net Depth / Length: 9 mm

Product Net Weight: 50 g

Dimension Diagram: 2CCC413003C0201

---

## Ordering

Package Level 1 Units: box 1 piece

Package Level 1 Gross Weight: 70 g

E-Number (Finland): 3212410

E-Number (Norway): 1628844

E-Number (Sweden): 2100070

---

## Certificates and Declarations

Declaration of Conformity - CE: 9AKK108472A2535

## Installation

Instructions and Manuals: 9AKK106930A3418

Mounting Type: DIN-Rail

## Popular Downloads

Data Sheet, Technical Information: 2CCC413003C0208

## External Classifications and Standards

ETIM 9: EC000041 - Auxiliary contact block

ETIM 10: EC000041 - Auxiliary contact block

UNSPSC: 39121522

eClass: V11.0 : 27371302

IDEA Granular Category Code (IGCC): 4743 >> Auxiliary contact block

Object Classification Code: F

Standards: IEC 60947-5-1\_UL489

## Categories

Products > Low Voltage Products and Systems > Modular DIN Rail Products > High Performance Circuit Breakers HPCBs > High Performance Circuit Breakers HPCBs Accessories

Parts & Services > Drives > Services > Spares and Consumables > Parts

